

Instructor:	Frank Secretain
Course:	Math 101
Assessment:	Test 1
Time allowed:	110 minutes
Devices allowed:	Pencil, pen, eraser, calculator
Notes from instructor:	Be neat. Show your work where needed. Box final answers.
Marks allocated:	6 questions worth 20 marks
Percentage of final grade:	20% of final grade

Formula Sheet

Order of Operations

$$ac + bc = c(a + b)$$

exponents

$$a^n a^m = a^{n+m}$$

$$(a^n)^m = a^{nm}$$

$$(ab)^n = a^n b^n$$

$$a^0 = 1$$

$$a^{-n} = \frac{1}{a^n}$$

radicals

$$a^{\frac{n}{m}} = \sqrt[m]{a^n}$$

Relative Velocity

$$\vec{v}_{\frac{A}{C}} = \vec{v}_{\frac{A}{B}} + \vec{v}_{\frac{B}{C}}$$

Linear equations (Cramer's rule)

$$x_i = \frac{\det(A_i)}{\det(A)}$$


Forms of a 2nd order polynomial

$$y = ax^2 + bx + c$$

$$y = a(x - h)^2 + k$$

$$y = (x - m)(x - n)$$

Trigonometry Functions



$$\sin(\theta) = \frac{O}{H} \quad \sin^{-1}\left(\frac{O}{H}\right) = \theta$$

$$\cos(\theta) = \frac{A}{H} \quad \cos^{-1}\left(\frac{A}{H}\right) = \theta$$

$$\tan(\theta) = \frac{O}{A} \quad \tan^{-1}\left(\frac{O}{A}\right) = \theta$$

Pythagoras Theorem

$$H^2 = O^2 + A^2$$

Unit Conversions

angles

$$2\pi = 6.28 \text{ rad} = 360^\circ$$

mass

$$1 \text{ kg} = 2.2 \text{ lbs.}$$

lengths

$$1 \text{ mile} = 1.6 \text{ km}$$

$$1 \text{ inch} = 2.54 \text{ cm}$$

$$1 \text{ m} = 3.3 \text{ ft}$$

volumes

$$1 \text{ gallon} = 3.78 \text{ Litres}$$

(4 marks) Match the “type of number” with the best “example number”. Draw a line to match the “type of number” to the “example number” to indicate your answer.

irrational

0

integer

$\sqrt{-2}$

rational

$\sqrt{2}$

imaginary

2.2

(4 marks) Determine

- a) the total number of significant digits and
- b) the number of decimal places to the least significant digit

for the following numbers:

0.00120

a) significant digits = _____

b) decimal places = _____

1250

a) significant digits = _____

b) decimal places = _____

(1 mark) Convert to scientific notation:

34,700

(3 marks) Solve the each expression and keep the correct number of significant digits.

$$130+18.365$$

$$(125.0)(0.040)$$

$$7869.4+(2370)(3.008692)$$

(3 marks) Given the standard unit conversion table on the formula sheet (1st page), convert each of the numbers to the stated units.


$$67^{\circ} \rightarrow \text{radians}$$

$$1.2 \frac{\text{miles}}{\text{second}} \rightarrow \frac{\text{km}}{\text{hour}}$$

$$1.2 \frac{\text{cm}^3}{\text{s}} \rightarrow \frac{\text{ft}^3}{\text{hour}}$$

(5 marks) You run 300 m East, 200 m at 70° North of East and 100 m at 60° West of North. How far are you from where you started?

(4 marks) Match the "type of number" with the best "example number". Draw a line to match the "type of number" to the "example number" to indicate your answer.



(4 marks) Determine

- the total number of significant digits and
- the number of decimal places to the least significant digit

for the following numbers:

0.00120

 +5

a) significant digits = 3

b) decimal places = +5

1250

 -1

a) significant digits = 3

b) decimal places = -1

(1 mark) Convert to scientific notation:

34,700

3.47×10^4

(3 marks) Solve the each expression and keep the correct number of significant digits.

$$\begin{array}{r} 130 + 18.365 \\ \underbrace{}_{-1} \quad \underbrace{}_{+3} \end{array}$$

$$= 148.365$$

$$= 150$$

$$\begin{array}{r} (125.0)(0.040) \\ \underbrace{}_3 \quad \underbrace{}_2 \end{array}$$

$$= 5$$

$$= 5.0$$

$$7869.4 + \begin{array}{r} (2370) \\ \underbrace{}_3 \end{array} \begin{array}{r} (3.008692) \\ \underbrace{}_7 \end{array}$$

$$= 7869.4 + 7130.60004$$

$$= 15000.00004$$

$$= 1.500 \times 10^4$$

(3 marks) Given the standard unit conversion table on the formula sheet (1st page), convert each of the numbers to the stated units.

$67^\circ \rightarrow \text{radians}$

$$67 \left(\frac{6.28 \text{ rad}}{360} \right) = 1.169 \text{ rad}$$

$$= 1.2 \text{ radians}$$

$$= 0.37\pi$$

$1.2 \frac{\text{miles}}{\text{second}} \rightarrow \frac{\text{km}}{\text{hour}}$

$$1.2 \frac{\cancel{\text{miles}}}{\cancel{\text{sec}}} \left(\frac{1.6 \text{ km}}{1 \cancel{\text{mile}}} \right) \left(\frac{60 \cancel{\text{sec}}}{1 \cancel{\text{min}}} \right) \left(\frac{60 \cancel{\text{min}}}{1 \text{ hour}} \right) = 6912 \frac{\text{km}}{\text{hour}}$$

$$= 6900 \frac{\text{km}}{\text{hour}}$$

$1.2 \frac{\text{cm}^3}{\text{second}} \rightarrow \frac{\text{ft}^3}{\text{hour}}$


$$1.2 \frac{\text{cm}^3}{\text{sec}} \left(\frac{1^3 \text{ inch}^3}{2.54^3 \text{ cm}^3} \right) \left(\frac{1^3 \text{ ft}^3}{12^3 \text{ inch}^3} \right) \left(\frac{60 \text{ sec}}{1 \text{ min}} \right) \left(\frac{60 \text{ min}}{1 \text{ hour}} \right)$$

$$= 0.15 \frac{\text{ft}^3}{\text{hour}}$$

$$1.2 \frac{\text{cm}^3}{\text{sec}} \left(\frac{1^3 \text{ m}^3}{100^3 \text{ cm}^3} \right) \left(\frac{3.3^3 \text{ ft}^3}{1^3 \text{ m}^3} \right) \left(\frac{60 \text{ sec}}{1 \text{ min}} \right) \left(\frac{60 \text{ min}}{1 \text{ hour}} \right)$$

$$= 0.16 \frac{\text{ft}^3}{\text{hour}}$$

(5 marks) You run 300 m East, 200 m at 70° North of East and 100 m at 60° West of North. How far are you from where you started?




$$\vec{V}_1 + \vec{V}_2 + \vec{V}_3 = \vec{V}_F$$

$$\vec{V}_1 = 300 \hat{x} + 0 \hat{y}$$

$$\vec{V}_2 = 68.4 \hat{x} + 187.9 \hat{y}$$


$$\vec{V}_3 = -86.6 \hat{x} + 50 \hat{y}$$

$$\vec{V}_F = 281.8 \hat{x} + 237.9 \hat{y}$$



$$x = 200 \cos 70 = 68.4$$

$$y = 200 \sin 70 = 187.9$$



$$x = 100 \sin 60 = 86.6$$

$$y = 100 \cos 60 = 50$$

$$|\vec{V}_F| = \sqrt{(281.8)^2 + (237.9)^2}$$

$$= 368.79$$

$$|\vec{V}_F| = 370 \text{ m}$$